

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Roppe Corporation

1602 N Union St, Fostoria, Ohio 44830, United States

For the following product(s):

Rubber Flooring and Tread:

Armour Multi-Use Rubber Tile, Designer's Choice® Rubber Tile, Dimensions Rubber Tile, Envire Rubber Sheet and Tile, ESD Rubber Tile, Fiesta® Rubber Tile & Tread, Gallant Multi-Use Rubber Tile, Landing Rubber Tiles, Raised Design Rubber Tile, Renew Rubber Tile and Tread, Rubber Stair Treads, Rubber Stair Treads with Kevlar®, Smooth Design/ Marbelized Rubber Tile, Symmetry Rubber Tile and Tread, Tuflex® Spartus & Spartus Marble Multi-Use Rubber Tile, Welding Bead, ReNew Fiesta Rubber Tile and Tread, ReNew Rubber Tile and Tread



The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-105 Version 4.2 – 2023

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as flooring and/or wall base.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-02235

Valid from: July 01, 2025 to June 30, 2026

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



A handwritten signature in black ink, appearing to read "D. Phillips".

Diana Kirsanova Phillips, Chief Assurance Officer,
SCS Global Services